SBR NO: 23/20-21
28/07/2020

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494135

Serial No. : 1st & final Bill

Name of Work : Improvements and Asphalting to Roads at Uthanarappa layout Cross Roads and connecting areas in ward no-09 (Kathyayanyapura)

Name of Contractor of nature of Agency : -

Date of commencement of work : Date of Receiving: 27/07/2020

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Estimate cost Rs = 25.00 lakhs work code no = 009-20-0000 52 work order no = EE/BTP/BBMP/E-pmt/01/WD/18/20-21 Dt: 16/06/2020 Name of the Agency: Sri. A.S. Mani Cons. S.S Road Developers (B) Ltd.						
1)	Earthwork excavation by manual means in ordinary soil involving an average horizontal throw up to 2 meters and an average lift up to 0.5m, excavated surface levelled & dress						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Ref to Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	
	nearly circular, the disposed earth to be levelled						
	quantity vide this M.B. P.No 494126					950.56 cum	
	@ 237.69/cum					=	58052
item-2)	Removing and refining stone slabs of drains and						
	Pointing in cm (1:3)						
	quantity vide this M.B. P.No 494128					1328.945 sqm	
	@ Rs = 105.74/sqm					=	140522

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494136

No. .....
e of Work ..... From..... To.....
e of Contractor of nature of Agency .....
of commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
5) providing granite slabs of selected quality roughly circular having a size of 7.5cms thick and fixed in cement mortar (1:6) including fixing curing etc--						
Uthanallappa layout 1st cross E/S	1	5.00		1.35	6.75	
	1	8.00		1.35	10.80	
1st cross N/S	1	6.00		1.35	8.10	
	1	10.00		1.35	13.50	
8th cross E/S	1	8.00		1.35	10.80	
	1	9.00		1.35	12.15	
					62.10	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS W/S	1	6.00		1.35	= 8.10	
		1	9.00		1.35	= 12.15	
	3rd CROSS E/S	1	7.00		1.35	= 9.45	
	3rd CROSS W/S	1	13.00		1.35	= 17.55	
		1	10.00		1.35	= 13.50	
	4th CROSS E/S	1	15.00		1.35	= 20.25	
	4th CROSS W/S	1	10.00		1.35	= 13.50	
		1	5.00		1.35	= 6.75	
		1	8.00		1.35	= 10.80	
			Total Qnty			= 131.15	
			Limited to Tender Qnty			= 173.34	= 122187.00

@ 704.90/Sqm

112-05

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494137

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
4)	providing and laying plain cement concrete of mix 1:3:6 with OPC cement @ 220 kgs. with crushed hard and clean size graded granite metal coarse aggregates @ 0.84 cum fine aggregates.						
	Quantity vide MB P.no = 1.89 cum						
	@ 5150-00/cum = 9735-00						
5)	providing and constructing granite/trap/basalt size stone masonary of basement with mortar 1:6 edges of stony chisele dressed in course not less than 15 cms.						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	high, bond stones at 1000 m. apart in each						
		2	7.00	0.60	0.90	= 7.56 cum	
			@ 5581.35/cum			= 41748.00	
item 6)	providing usual pointing 20 mm deep to coursed stone masonry with cement mortar 1:3, 20mm deep, after raking joints to depth of 20mm nicely lining including cost of materials, etc. —						
		2	7.00		0.90	= 12.60 sqm	
			@ 142.99/sqm			= 1802.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494138

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	a) providing precast slabs of 250 mm thick including cost of all materials, labour, curing, transporting, loading unloading etc.. complete as per the direction of engineer.						
		12	1.50	0.60		= 10.80 sqm	
			@ 5147.10/sqm			= 55589.00	
	b) providing and constructing load bearing wall with solid concrete blocks of size 400 × 150 × 200 mm having block density not less than 1600 kg/m³ and having a minimum crush-						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	compressive strength etc-						
	uthanamappa layout ST	2+2	30.00		0.40 =	48.00	
	CROSS ELS	2+2	7.50		0.40 =	12.00	
	1ST CROSS WLS	2	30.00		0.40 =	24.00	
		2	16.60		0.40 =	13.28	
	2nd CROSS ELS	2	12.00		0.40 =	9.60	
		2	10.00		0.40 =	8.00	
	2nd CROSS ELS	2	12.00		0.40 =	9.60	
		2	12.00		0.40 =	9.60	
		2	10.00		0.40 =	8.00	
	2nd CROSS WLS	2	12.00		0.40 =	9.60	
		2	12.00		0.40 =	9.60	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494139

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
		2	10.00		0.40 =	8.00	
	3rd CROSS ELS	2	12.00		0.40 =	9.60	
		2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	
	3rd CROSS WLS	2	9.00		0.40 =	7.20	
		2	10.00		0.40 =	8.00	
		2	10.00		0.40 =	8.00	
		2	12.00		0.40 =	9.60	

68.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS E/S	2	9.50		0.40 =	7.60	
		2	12.00		0.40 =	9.60	
		2	12.00		0.40 =	9.60	26.80
			Total quantity =			26.80	
			limited to Tender qty =			26.00	
			@ 930.47/ cum =				23820.00
item 9	providing and laying in position plain cement concrete of mix 1:2:4 with cement @ 340 kgs with 20mm and down size graded granite metal coarse aggregates @ 0.64 cum and fine aggregates @ 0.45 cum, machine mixed etc..						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494140

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Beal concrete						
	Uthanasiappa layout 1st	2	30.00	0.45	0.10 =	2.70	
	CROSS E/S	2	7.50	0.45	0.10 =	0.68	
	1st CROSS N/S	1	30.00	0.45	0.10 =	1.35	
		1	16.60	0.45	0.10 =	0.75	
		1	12.00	0.45	0.10 =	0.54	
	2nd CROSS E/S	1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	
		1	12.00	0.45	0.10 =	0.54	
						7.55	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS WLS	1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	
		1	12.00	0.45	0.10 =	0.54	
	3rd CROSS GLS	1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
	3rd CROSS WLS	1	12.00	0.45	0.10 =	0.54	
		1	9.00	0.45	0.10 =	0.41	
		1	10.00	0.45	0.10 =	0.45	
		1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	

5.27

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494141

erial No. .....
ame of Work ..... From..... To.....
ame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	4th CROSS GLS	1	9.50	0.45	0.10 =	0.43	
		1	10.00	0.45	0.10 =	0.45	
		1	12.00	0.45	0.10 =	0.54	
	coping concrete						
	Uthanapalli appa layout 1st	2+2	30.00	0.20	0.10 =	2.40	
	CROSS GLS	2+2	7.50	0.20	0.10 =	0.60	
	1st CROSS WLS	2	30.00	0.20	0.10 =	1.20	
		2	16.60	0.20	0.10 =	0.66	
		2	12.00	0.20	0.10 =	0.48	

6.76

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS EIS	2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
		2	12.00	0.80	0.10 =	0.48	
	2nd CROSS WIS	2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
		2	12.00	0.80	0.10 =	0.48	
		2	10.00	0.80	0.10 =	0.40	
	3rd CROSS EIS						
		2	10.00	0.80	0.10 =	0.40	
		2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494142

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	5th CROSS WIS	2	9.00	0.80	0.10 =	0.36	
		2	10.00	0.80	0.10 =	0.40	
		2	10.00	0.80 =	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
	4th CROSS EIS	2	9.50	0.80	0.10 =	0.38	
		2	10.00	0.80	0.10 =	0.40	
		2	12.00	0.80	0.10 =	0.48	
	CULVERT COUPING	1	7.00	0.80	0.10 =	1.05	
	RAMP	2	7.00	1.00	0.15 =	2.10	
			TO tal Q ty		=	30.02	CUM

CAFO
MEMO

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

6.05

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Limited to tender Qutty : 89.45 cum						
	@ 5319.95 =						156675.00
Item 10)	Providing granite slabs of selected quality roughly dressed having a size of 10cms thick and fixed in cement mortar (1:6) including fixing curing etc---						
	B.S slab missing covering with an allappa layout grid (Cross GIS	1	30.00	0.90	=	27.00	
		1	8.00	0.90	=	7.20	
		1	7.00	0.90	=	6.30	
		Total Qutty			=	40.50 Sqm	
		@ 918.28 / Sqm			=	37194.84	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494143

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
15)	Providing chamfering edges to stone slab 8.5cms. not above as per specifications						
		Total Qutty : 0.00 sqm					
		@ 56.41/sqm =					0.00/-
16)	Scarifying bituminous course 50mm to 75mm thick along with premix carpet/surface dressing by manual means without disturbing the base and stacking of the debris materials including cost of all materials						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Quantity vide this MB P.No 494130				= 439.50 Sqm		
	@ 90.63 Sqm				=		39832.00
13)	wet mix macadam providing, laying, spreading and compacting crushed stone aggregates of granite/trap/ basalt to wet mix macadam specifications etc---						
	Quantity vide this MB P.No 494133				= 109.88 cum		
	@ 1901.22				=		208906.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494144

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	by priming and applying primer coat with Bitumen emulsion on prepared surface of granular base such as WBM/ Gravel cleaning of road surface and spraying primer at the rate of 0.60 kg/Sqm etc—						
	Quantity vide this M.B. P.No 494133				= 439.50 Sqm		
	@ 27.19/ Sqm				=		11950.00

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494145

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 15)	providing and laying bituminous macadam on prepared surface with crushed coarse aggregates as per design mix formula for base/ binding course including leveling of aggregates etc---						
	Uthanagappa layout 1st cross GIS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	7.50	$\frac{(1.1+1.3)}{2}$	0.050	= 0.45	
	1st cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	16.60	$\frac{(1.1+1.3)}{2}$	0.050	= 1.05	
	2nd cross GIS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	30.00	$\frac{(1.1+1.3)}{2}$	0.050	= 1.32	
	2nd cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	16.40	$\frac{(1.1+1.0)}{2}$	0.050	= 0.86	
	3rd cross GIS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	25.40	$\frac{(1.1+1.2)}{2}$	0.050	= 1.46	
	3rd cross WLS	1	30.00	$\frac{(1.2+1.1)}{2}$	0.050	= 1.73	
		1	14.40	$\frac{(1.1+1.0)}{2}$	0.050	= 0.77	

6.72

9.60

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS E/S	1	30.00	(1.2+1.2)/2	0.050	= 1.80	
		1	24.90	(1.2+1.3)/2	0.050	= 1.54	
	4th CROSS W/S	1	30.00	(1.2+1.3)/2	0.050	= 1.73	
		1	12.30	(1.17+1.3)/2	0.050	= 0.71	5.78
			TOTAL QTTY			= 22.07 CUM	
		Wastage to transfer QTTY = 21.98 CUM					
		@ 5095.40/ CUM				= 111997.00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494146

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	14) Cleaning the existing black topped surface with brooms, soft brushes and finally dusting with old gunny bags and by compressed air to remove bituminous treatment including cost of all materials, etc complete						
						494134/1	
		Quantity vide this MB P. No.				= 1758.00 Sqm	
		@ 5.04/ Sqm				= 8860.00	
	15) Painting and applying tack coat using 80/100 grade bitumen						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(vG10) on the prepared black topped surface at 9.5kg per 10 sqm. heating bitumen in boiler fitted with spray set (excluding cleaning of road etc)--						
	Quantity vide item No. 16 = 1758.00 sqm						
	@ 12.08 =					21237.00	
item 18	providing and laying bituminous concrete 40mm thick with hot mix plant, using crushed aggregates of specified grading, premixed with bituminous binder and filler transporting the hot mix etc--						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494147

Serial No. ..... From ..... To .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Uthamarappa layout 1st cross E/S	1	30.00	(4.65+4.65)/2	0.040	= 5.70	
		1	7.50	(4.65+4.65)/2	0.040	= 1.43	
	1st cross W/S	1	30.00	(5.35+6.0)/2	0.040	= 6.78	
		1	16.60	(6.0+6.2)/2	0.040	= 4.05	
	2nd cross E/S	1	30.00	(5.45+5.3)/2	0.040	= 6.45	
		1	22.00	(5.0+4.9)/2	0.040	= 4.36	
						28.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd CROSS W/S	1	30.00	(5.0+5.4)/2	0.040	= 5.76	
	3rd CROSS G/S	1	16.40	(4.4+4.8)/2	0.040	= 3.12	
		1	30.00	(4.8+4.8)/2	0.040	= 5.64	
	3rd CROSS W/S	1	25.40	(4.4+4.1)/2	0.040	= 4.42	
		1	30.00	(5.0+4.6)/2	0.040	= 5.76	
	4th CROSS G/S	1	14.70	(4.6+4.4)/2	0.040	= 2.65	
		1	30.00	(5+3.7)/2	0.040	= 4.98	
						32.33	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494148

rial No. ..... From..... To.....
me of Work .....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	4th CROSS W/S	1	34.90	(3.3+3.5)/2	0.040	= 3.86	
		1	30.00	(3.3+4.0)/2	0.040	= 4.36	
		1	12.30	(4.0+3.6)/2	0.040	= 1.92	
				Total Qty =		70.67	
				Limit of Tender Qty =		70.00	cum
				@ 7211.13/cum =		5070 87.00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
Item 19)	Road marking with Hot Applied Thermoplastic compound with Reflectorising Glass Beads on Bituminous surface providing and laying of hot applied thermoplastic compound 2.5 mm thick etc complete as per approved design and direction of Engineer in charge						
	1mm CROSS WIS	2	30.00	0.10	= 6.00		
		2	7.50	0.10	= 1.50		
	0.5m CROSS WIS	2	30.00	0.10	= 6.00		
	0.4m CROSS WIS	2	16.60	0.10	= 3.32		
		2	30.00	0.10	= 6.00		
		2	22.00	0.10	= 4.40		
						26.72	

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494149

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	1mm CROSS WIS	2	30.00	0.10		= 6.00	
		2	16.40	0.10		= 3.28	
	0.5m CROSS WIS	2	30.00	0.10		= 6.00	
		2	25.40	0.10		= 5.08	
	0.4m CROSS WIS	2	30.00	0.10		= 6.00	
		2	14.70	0.10		2.94	
	HM CROSS WIS	2	30.00	0.10		6.00	
		2	24.70	0.10		4.94	
						40.24	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	4th CROSS M/S	2	30.00	0.10		= 6.00	
			12.30	0.10		= 2.46	8.46
			TOTAL QTY		:	75.92 Sqm	
			Limited to tender QTY: 74.80 Sqm				
			@ 432.00/Sqm			= 32314.00	
E1	providing precast slab of 100 mm thick including cost of all materials, labour, cutting, transportation, lowering unloading etc. complete as per the directions						
	B.S. Slab missing covering						

Assistant Executive Engineer
Vidyaranyapura Sub Division
BBMP, Bangalore - 97

M. A. R. 57 (Rule 116)
Measurement Book

No. B 494150

rial No. .....
me of Work ..... From..... To.....
me of Contractor of nature of Agency .....
te of commencement of work .....

ate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
	2	3	4	5	6	7	8
	Uthamanappa layout 1st CROSS E/S	1	22.00	0.90		= 19.80	
	1st CROSS M/S C&FP. 29/07	1	30.00	0.90		= 27.00	
		1	4.00	0.90		= 3.60	
	2nd CROSS E/S	1	30.00	0.90		= 27.00	
		1	25.00	0.90		= 22.50	
	2nd CROSS M/S	1	21.00	0.90		= 18.90	
	3rd CROSS E/S	1	5.00	0.90		= 4.50	
						127.80	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	3rd CROSS ROAD	1	16.00	0.90		= 14.40	
			TOTAL QTY =			14.40 SQM	
			@ 2220.38/SQM			= 31973 8.00	
			TOTAL AMOUNT RS =			319,738.00	
			GST @ 12% RS =			38,369.00	
			GRAND TOTAL AMOUNT RS =			358,107.00	
	Certificate:						
	1) The above work has been completed satisfactorily						
	2) No materials issued from department						
						27/07/2020	

Assistant Executive Engineer
Vidyaranyepura Sub Division
BBMP, Bangalore-97

Assistant Executive Engineer

27/07/2020

(Contractor)

M. A. R. 57 (Rule 116)
Measurement Book

No. B

494151

erial No. .....

ame of Work ..... From..... To.....

ame of Contractor of nature of Agency .....

ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Thindlu main Road	37.00m	52.00m	55.40m	5.70m		
			Lotus	Ultra Lappo			
		46.60m	46.40m	44.70m	42.30m		

INDEX:-

- Asphalt Road
- Drain Development

27/07/2020

Assistant Executive Engineer
Vidyaranyapura Sub Division

1st & final

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	SBE. No. 23/28-7-20 2	3	4	5	6	7	8
			1st & fins	2373	900		
			It	23739			
			Cess	21196			
			SCST	21196			
			LWF	23739			
			Cen.	2374			
			LR	2056			
			Ded.	94300			
			Chque	2279600			

ಲೆಕ್ಕತೀರ್ಪಿಕೆ P3276 - Zonal Public Works Pool ಕಡಿ
ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. 2373900/- ಗಳನ್ನು ಪಾಸು ಮಾಡಿದೆ.
ಇದರಲ್ಲಿ ರೂ. 94300/- ಗಳನ್ನು ಹೊಂದಾಣಿಕೆ
ಮಾಡಿಕೊಂಡು ರೂ. 2279600/- ಗಳನ್ನು

RT/NEFT/RTGS ಮುಖಾಂತರ ನೀಡಲಾಗಿದೆ

ಲೆಕ್ಕಾಧೀಕ್ಷಕರು
ಬ್ಯಾಡರಾಯನಪುರ ವಿಭಾಗ
ಬೃ.ಬೆ.ಮ.ಪಾ, ಬೆಂಗಳೂರು

ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಡರಾಯನಪುರ ವಿಭಾಗ
ಬೃ.ಬೆ.ಮ.ಪಾ, ಬೆಂಗಳೂರು

ಸಹಾಯಕ ನಿರ್ವಾಹಕರು
29/7/20